

PRODUCT DATASHEET

SMART+ PANEL 30 x 120cm Tunable White

SMART+ Panel Tunable White | Wall and ceiling luminaire with ZigBee technology



AREAS OF APPLICATION

- Indoor applications
- Ceiling and wall surface mounting
- Kitchens, living rooms, children's rooms or home offices
- Corridors
- Residential interiors

PRODUCT BENEFITS

- Easy to install and use

PRODUCT FEATURES

- Slim panel luminaires for surface mounting with wireless smart home function
- Adjustable color temperature via Tunable White: 2,000...6,500 K
- Dimmable
- Network protocol: ZigBee
- Controllable via compatible smart home system (gateway and app) or SMART+ Switch or SMART+ Switch mini
- For full functionality, connection to a compatible smart home System (gateway and app) required



TECHNICAL DATA


Electrical data

| | |
|-----------------|-------------|
| Nominal wattage | 30.00 W |
| Nominal voltage | 220...240 V |
| Nominal current | 0.15 A |
| Mains frequency | 50/60 Hz |

Photometrical data

| | |
|--|---------------|
| Color temperature | 2700...6500 K |
| Color rendering index Ra | ≥80 |
| Light color (designation) | Tunable White |
| Luminous flux | 2800 lm |
| Luminous efficacy of lamp in luminaire | 95 lm/W |

Dimensions & weight



| | |
|----------------|-----------|
| Product weight | 4120.00 g |
| Length | 1200 mm |
| Width | 300.0 mm |
| Height | 42.0 mm |

Colors & materials

| | |
|----------------|----------|
| Product color | White |
| Body material | Aluminum |
| Cover material | Plastic |
| Housing color | White |

Temperatures & operating conditions

| | |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
|---------------------------|--------------|

Additional product data

| | |
|-----------------------|--|
| Product remark | Reset settings to default by switching the product on for five seconds and off for five seconds and repeating this five times. |
|-----------------------|--|

Capabilities

| | |
|---|---|
| Dimmable | Yes |
| Type of connection | Terminal, 2-Pole (L, N) |
| Compatible smart home technology | Philips Hue / Amazon Alexa / Google Assistant |
| LED module replaceable | Not replaceable |

Certificates & standards

| | |
|-----------------------------------|------|
| Standards | CE |
| Protection class | II |
| Type of protection | IP20 |
| EEL of included LED module | A+ |

EQUIPMENT / ACCESSORIES

- Mounting bracket included
- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|------------------------|
| 4058075181519 | Folding carton box 1 | 324 mm x 1245 mm x 61 mm | 4713.00 g | 24.61 dm ³ |
| 4058075181526 | Shipping carton box 4 | 1262 mm x 267 mm x 358 mm | 20220.00 g | 120.63 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.