

PRODUCT DATASHEET SMART+ MODERN LANTERN Bollard 50cm Multicolor

SMART+ Modern Lantern Multicolor | Outdoor lantern with Bluetooth technology



AREAS OF APPLICATION

- Outdoor use (IP44)

PRODUCT BENEFITS

- Easy to install and use
- Colorful garden lighting with smart and intelligent control options
- Uses multi color and cold or warm white light for most flexible lighting scenes
- Combines the functionality of general lighting and mood lighting

PRODUCT FEATURES

- Available as wall and bollard luminaires
- Controllable via LEDVANCE SMART+ App (with minimum Android 6.0 or iOS 11.0)
- RGB color control, approx. 16 million color options adjustable
- Adjustable color temperature via Tunable White: 2,000...6,500 K
- Dimmable
- Diffuser made of clear polycarbonate
- Network protocol: Bluetooth



March 14, 2021, 03:02:10
SMART+ MODERN LANTERN Bollard 50cm Multicolor

- For full functionality with control via Apple Home App connection to Apple TV (with tvOS 10 or later) or iPad (with iOS 10 or later) required

TECHNICAL DATA

Electrical data

Nominal wattage	12.00 W
Nominal voltage	220240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	20006500 K
Color rendering index Ra	80
Light color (designation)	RGBW
Luminous flux	650 lm
Luminous efficacy of lamp in luminaire	52 lm/W

Light technical data

Beam angle	360 ° ¹⁾
------------	---------------------

¹⁾ ZMP_110132

Dimensions & weight



Product weight	1850.00 g
Height	500.0 mm
Diameter	110.0 mm

Colors & materials

Product color Dark gray	
Body material	Aluminum
Cover material	Polycarbonate (PC)
Housing color	Dark gray

Temperatures & operating conditions

Ambient temperature range	-20+40 °C

Additional product data

Product remark	Reset settings to default by switching the product on for three seconds	
	and off for three seconds and repeating this five times.	

Capabilities

Dimmable	Yes	
Type of connection	Terminal	
Compatible smart home technology	Apple HomeKit / Google Assistant / Amazon Alexa	
LED module replaceable	Not replaceable	

Certificates & standards

Standards	CE
Protection class	1
Type of protection	IP44
EEI of included LED module	A

EQUIPMENT / ACCESSORIES

- For control via LEDVANCE SMART + App Android smartphone (with Android 6.0 and later) required
- For control via Apple Home App iPhone (with iOS 10 or later), iPad (with iOS 10 or later), Apple TV (with tvOS 10 or later) or Apple Watch (with watchOS 2 or later) required

- Power supply included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075184589	Folding carton box 1	194 mm x 194 mm x 536 mm	1988.00 g	20.17 dm³
4058075232921	Shipping carton box 2	400 mm x 202 mm x 546 mm	4594.00 g	44.12 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.