

# **PRODUCT DATASHEET**SMART+ BT PLUG UK

SMART+ Plug | Plug with smart socket to control non smart devices with Bluetooth technology



#### **AREAS OF APPLICATION**

Wherever non-smart devices need to be integrated into compatible smart home systems

#### **PRODUCT BENEFITS**

- Integrates conventional electric equipment into compatible smart home systems
- Enables switching of conventional light sources and other electric devices
- Simple connection of electric devices via standard socket


#### **PRODUCT FEATURES**

- Controllable via LEDVANCE SMART+ App (with minimum Android 6.0 or iOS 11.0)
- For full functionality with control via Apple Home App connection to Apple TV (with tvOS 10 or later) or iPad (with iOS 10 or later) required
- High switching power: up to 3,680 W / 16 A EU version and 2,990 W / 13 A UK version
- Network protocol: Bluetooth



#### **TECHNICAL DATA**

## Dimensions & weight



Product weight	96.00 g
Length	62.0 mm
Width	60.0 mm
Height	60.0 mm

#### Colors & materials

#### Temperatures & operating conditions

Ambient temperature range	-20 +40 °C
Ambient temperature range	-20+40 C

#### Additional product data

Product remark	High switching power: up to 2,990 W / 13 A/Reset settings to default by	
	switching the product on for three seconds and off for three seconds and	
	repeating this five times./Alternatively, press the reset button once for	
	ten seconds.	

# Capabilities

Compatible smart home technology	Apple HomeKit

#### Certificates & standards

Type of protection	IP20

## **EQUIPMENT / ACCESSORIES**

- For control via LEDVANCE SMART + App Android smartphone (with Android 6.0 and later) required
- For control via Apple Home App iPhone (with iOS 10 or later), iPad (with iOS 10 or later), Apple TV (with tvOS 10 or later) or Apple Watch (with watchOS 2 or later) required

## **SAFETY ADVICE**

Disconnect devices which generate heat from the mains, i.e. from the SMART+ Plug, after use in order to avoid them being accidentally switched on.

Very high capacitive and inductive loads may in some cases lead to destruction of the device or reduction in the number of switching cycles.

Do not use the SMART+ Plug in conjunction with medical equipment.

To be connected to an automatic circuit breaker (for UK max. 13 A and for EU max. 16 A)

#### **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075208520	Folding carton box 1	61 mm x 96 mm x 154 mm	164.00 g	0.90 dm <sup>3</sup>
4058075212862	Shipping carton box 4	211 mm x 167 mm x 141 mm	777.00 g	4.97 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.