

PRODUCT DATASHEET SMART+ WIFI GARDEN 3 Pole mini extension

SMART+ GARDEN POLE | Decorative light poles for outdoor use with WiFi technology



AREAS OF APPLICATION

- Gardens, balconies and other outdoor areas

PRODUCT BENEFITS

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options

PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Protection class (pole): IP65
- Protection class (power supply): IP44
- Extension up to maximum 8 poles



TECHNICAL DATA

Electrical data

| Nominal wattage | 1.90 W |
|-----------------|---------------|
| Nominal voltage | 220240 V |
| Mains frequency | 50/60 Hz |
| Operating mode | Mains voltage |

Photometrical data


| Color temperature | 3000 К |
|---------------------------|---------|
| Color rendering index Ra | ≥80 |
| Light color (designation) | RGBW |
| Luminous efficacy | 57 lm/W |
| Luminous flux | 45 lm |

Light technical data

| Beam angle | 280 ° ¹⁾ |
|------------|---------------------|
|------------|---------------------|

¹⁾ ZMP_110132

Dimensions & weight



| Product weight | 220.00 g |
|----------------|----------|
| Width | 22.0 mm |
| Height | 227.0 mm |
| Diameter | 22.0 mm |

Colors & materials

| Product color | Steel |
|----------------|--------------------|
| Body material | Stainless steel |
| Cover material | Polycarbonate (PC) |
| Housing color | Steel |

Temperatures & operating conditions

| Ambient temperature range | -20+40 °C |
|---------------------------|-----------|
| | 20 |

Lifespan

| Number of switching cycles | 12500 |
|----------------------------|-------|
| Number of Switching Cycles | 12500 |

Additional product data

| Product remark | Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times. | |
|-------------------|---|--|
| Mounting location | Ground | |
| Mounting type | Ground spike | |

Capabilities

| Dimmable Yes | | |
|----------------------------------|---------------------------------|--|
| Type of connection Plug, EU | | |
| Compatible smart home technology | Google Assistant / Amazon Alexa | |

Certificates & standards

| Standards | CE/EAC/REACH/RoHS |
|--------------------|-------------------|
| Protection class | III |
| Type of protection | IP65 |

EQUIPMENT / ACCESSORIES

- Power supply included only in basic set
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4058075478237 | Folding carton box 1 | 80 mm x 160 mm x 50 mm | 239.00 g | 0.64 dm³ |
| 4058075478244 | Shipping carton box 4 | 180 mm x 180 mm x 120 mm | 1107.00 g | 3.89 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.