

PRODUCT DATASHEETSMART+ BT FLEX 3M

SMART+ FLEX OUTDOOR MULTICOLOR | Flexible LED strips for outdoor use with Bluetooth technology



AREAS OF APPLICATION

- General illumination
- Gardens
- Patios, balconies

PRODUCT BENEFITS

- Easy and quick installation
- Uses multi color and cold or warm white light for most flexible lighting scenes

PRODUCT FEATURES

- Flexible RGBW strip with wireless smart lighting function
- Controllable via LEDVANCE SMART+ App (with minimum Android 6.0 or iOS 11.0)
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Network protocol: Bluetooth
- Protection class (strip): IP65
- Protection class (power supply): IP44



TECHNICAL DATA

Electrical data

Nominal wattage	12.00 W
Nominal voltage	220240 V
Nominal current	0.1 A
Mains frequency	50/60 Hz

Photometrical data

Color temperature	2000 6500 K	
Color rendering index Ra	>80	
Light color (designation)	RGBTW	
Luminous flux	850 lm	
Luminous efficacy of lamp in luminaire	71 lm/W	

Light technical data

Beam angle	110 ° ¹)

¹⁾ ZMP_110132

Dimensions & weight

Product weight	390.00 g
Length	3000 mm
Width	12.0 mm
Height	4.5 mm

Colors & materials

Product color	Transparent	
Body material	Silicone	
Cover material	Polycarbonate (PC)	

Temperatures & operating conditions

Ambient temperature range	-20+40 °C
---------------------------	-----------

Capabilities

Dimmable	Yes	
Type of connection	Plug type C (EU)	
Compatible smart home technology	Google Assistant / Amazon Alexa	
LED module replaceable	Not replaceable	

Certificates & standards

Standards	CE/EAC/REACH/RoHS	
Protection class	II	
Type of protection	IP44	
EEI of included LED module	A++/A+/A	

EQUIPMENT / ACCESSORIES

- For control via LEDVANCE SMART + App Android smartphone (with Android 6.0 and later) required
- Power supply included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075504868	Folding carton box 1	62 mm x 230 mm x 205 mm	587.00 g	2.92 dm³
4058075504875	Shipping carton box 4	430 mm x 245 mm x 154 mm	2674.00 g	16.22 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.